



RESIDENTIAL | INTERIOR DOORS



We invite you to discover what **over 40 years** of wood door manufacturing experience can bring to your next project.

A 3rd generation, **family-owned company** located in the beautiful Pacific Northwest, Lynden Door, Inc. builds **residential, commercial** and **architectural** doors suited for nearly every type of application or market segment, no matter the scale, location or complexity. Our **customization capabilities** and **wide breadth of interior door** styles and designs will offer a solution for any of your decor and building needs.

Lynden Door has a unique history of serving God through supporting the needs of its employees, their families and evangelical ministries in the community of Lynden, WA and beyond.

We trust that you will find our passion for crafting beautiful, durable, high quality doors and providing exceptional customer service is distinctly evident.

We are genuinely grateful for your business and support.



SERVICES | OPTIONS



FIRE DOOR Any of our 1-3/4" solid core interior panel doors are available with a 20-minute fire rating for your "House To Garage" application. Lynden Door also offers a full suite of neutral and positive pressure fire doors for 20, 45, 60 and 90-minute rated applications.



STC Sound transmission control up to STC 49. Lynden Door offers sound rated doors to meet the demands of high-sound impact areas found in both residential communities and businesses near airports, high traffic areas and other noise pollution.



SUSTAINABLE With a history of commitment to environmental stewardship, Lynden Door is responsive to the green programs and materials in our marketplace. Meeting current government emissions standards, LEED-compliant options are available for virtually every door we make.



GLAZING, VISION LITES, AND APPLIED MOLDING Factory door prep and machining for in-house lite installations and applied moldings open opportunities for unique design choices.



CUSTOM ROUTING AND INLAY Add design flair to wood veneer or painted flush doors with custom CNC routed lines and angles.



FACTORY FINISHING Lynden Door offers a variety of factory finish options for all your design needs - clear and custom factory stain finishes and durable non - marring custom painting - all of which are produced under very strict quality controls.



FACTORY MACHINING FOR HARDWARE Lynden Door is fully equipped to carry out the most demanding and complex machining instructions and hardware preparations with automated precision.

VISIT LYNDENDOOR.COM FOR MORE DETAILS | FOLLOW US [@LYNDENDOORINC](https://www.instagram.com/lyndendoorinc)

FINE | LINE

Minimalistic. Contemporary.

FineLine doors by Lynden Door bring a fresh, stylish appearance to any interior space.

FineLine's grooved profile lines are positioned to bring linear dimension as a modernizing accent or simply to bring structure to contemporary spaces.




All FineLine profiles are available in 6'8", 7'0" and 8'0" heights.

Alki, Denman and Robson 8'0" door designs feature 6 panels.

Bifolds available.





GRANVILLE

6'8" | 7'0" | 8'0"

RAVENNA

6'8" | 7'0" | 8'0"

BALLARD

6'8" | 7'0" | 8'0"

FAIRVIEW

6'8" | 7'0" | 8'0"



Fairview

A modernizing solution to contemporary spaces.

- Groove primed flush.
- Route lines are .22 inches wide and .04 inches deep, providing an easily paintable surface within the groove lines.
- Ten standard profiles offered in 6'8" with optional 7'0" and 8'0" heights. Up to 4'0" wide. Custom sizes available.*
- FineLine bifolds are available. Groove aligned 4-door bifolds and paired doors are available as special order.*
- Profile lines thoughtfully positioned to accommodate most hardware locations, with select designs supporting ADA/ accessibility compliance.
- 1-3/8" and 1-3/4" thickness, hollow and solid core available.
- 20-minute fire rated (all sizes, Category A or B) and 45-, 60-, and 90-minute fire rated (all sizes, Category A).
- Available with ventilated options on select designs.
- Hanging location may be required if door construction requires bevels and/or undercut trims.

*Contact your Lynden Door representative for more information.



Ravenna Close-up

STILELINE® COLLECTION

The excitement of European styling with an opposing grain creates a bold, modern look at an attractive price. * ♦

- Hollow or solid core
- Matching bifolds
- 1-3/8" and 1-3/4"
- Rated / non-rated options
- Custom options
- Available as a ventilated door



WHITE MAPLE
Sketch Face | Plain Sliced



WHITE OAK
Sketch Face | Rift Cut



BLACK WALNUT
Sketch Face | Quarter Sawn



AFRICAN MAHOGANY
Sketch Face | Quarter Sawn



StileLine Black Walnut

Pacific Collection Finishes


Lynden Door's Pacific Collection offers a state of the art VOC free, ultraviolet cured custom stain or clear finish.

The highly affordable finishes are available with all wood veneer doors. See page 11 for more information.

* StileLine available with Pacific Collection stains or clear factory finish.

♦ Horizontal grain pair matches are not available. Pleasing matches available by special order.

REDISCOVERY COLLECTION



Spalted Maple


The Rediscovery Collection provides contemporary and custom expressions in vertical grain, horizontal grain or sketch face designs, species and finishes.



TABLEAU
Horizontal Grain
Shown in Walnut



RHYTMUS
Sketch Face
Shown in Jatoba



SKETCH FACE
Shown in Curvature
Contrast Horizontal Walnut



SPALTED
Shown in Spalted Maple

- Hollow or solid core
- Matching bifolds
- 1-3/8" and 1-3/4"
- Rated / non-rated options
- Custom options
- Available as a ventilated door





WOOD VENEER

Lynden Door wood veneer doors provide the beauty and warmth of natural wood and one of a kind, unique wood grain patterns. All wood veneers are pre-graded to ensure defect-free surfaces. Ask your Lynden Door distributor for matching wood jambs and millwork.

- Hollow or solid core
- Matching bifolds
- 1-3/8" and 1-3/4"
- Rated / non-rated options
- Special order wood veneers available
- Available as a ventilated door



RED OAK
Plain Sliced



WHITE MAPLE
Rotary Cut



MAHOGANY
Rotary Cut



NATURAL BIRCH
Rotary Cut



UNIFORM LIGHT BIRCH
Rotary Cut



Plain Sliced Walnut Close-up




Horizontal Rift White Oak Close-up

PACIFIC COLLECTION


The Pacific Collection is a carefully composed array of stain colors applied to specific wood veneer by skilled technicians in a tightly controlled production environment. Due to their excellent stainability, we offer Pacific Collection stains for **Quarter Sliced African Mahogany, Rotary Natural Birch, Plain Sliced White Birch, Rotary White Birch, Plain Sliced Cherry, Plain Sliced White Maple, Plain Sliced Red Oak, Plain Sliced Walnut, Plain Sliced White Oak** and **Rift White Oak**. Stain colors shown with **Plain Sliced White Maple** wood veneer.




COPPER BASIN




HONEYCRISP




CIDER




COCOA ASH




CHESTNUT



IRON RIDGE




FOGSTONE




TOASTED OAT



DRIFTVEIL



DARK TRUFFLE



CLEAR

Photographs are a close approximation of stain colors. Do not make final color selection based on this page. Contact Lynden Door for stain veneer samples to provide a closer representation of the finished appearance. Actual COLOR and GRAIN may vary from the EXAMPLES shown above.

- 100% colorfast, stains consist of organic earthen pigments
- Non-flammable, does not influence flame spread rating or smoke density
- Ultraviolet inhibitors keep the finish “water white” (clear)
- Protects and slows the natural aging of the wood
- Custom color matches available


ELEMENTAL SINGLE LINE AND DOUBLE LINE

A Fusion of Modern Aesthetics with New Innovation.

Elemental door designs are characterized by clean, simple lines. Offering a modern take on traditional wood and molded doors, the door designs allow room for interpretation in any architectural and interior design environment.



1-PANEL
Single Line



2-PANEL
Single Line



3-PANEL
Single Line



4-PANEL
Single Line




5-PANEL
Single Line



4-Panel Single Line Close-up

- Groove primed flush.
- Individual route lines are approximately .22 inches wide, and .04 inches deep.
- Route lines are positioned to accommodate most hardware locations
- *All configurations meet ADA/accessibility compliance.*
- 1-3/8" and 1-3/4" thickness, hollow and solid core available.
- Ten standard profiles offered in 6'8", 7'0", and 8'0" heights. Up to 4'0" wide.
- 20-minute fire-rated (all sizes, Category A or B) with 45-, 60-, and 90-minute fire-rated (all sizes, Category A) options available.
- Bifolds available.



1-PANEL

Double Line

2-PANEL

Double Line

3-PANEL

Double Line

4-PANEL

Double Line

5-PANEL

Double Line

The Elemental Collection also offers double-route lines, adding depth and character to any space. These doors are designed to create dimension, transforming ordinary interiors into extraordinary living spaces. Perfect in both single and multi-family applications.



2-Panel Double Line Close-up



3-Panel Double Line

Ventilated Door Option

Select Elemental door designs are available with vertical ventilation, offering a contemporary solution for interior door openings.



**1-PANEL
VENTILATED DOOR**

Single Line



**2-PANEL
VENTILATED DOOR**

Single Line



**1-PANEL
VENTILATED DOOR**

Double Line



**2-PANEL
VENTILATED DOOR**

Double Line

VENTILATED DOOR

Comfort and well-being for modern spaces.

Designed to bring airflow and intention into every space, the Ventilated Door Collection blends performance-driven ventilation with elevated design. Evolving from the original Vertical Ventilated Door, the collection now includes two horizontal options, the Locker and the Ladder. Each offering a distinct aesthetic while maintaining consistent airflow and craftsmanship.

Available in a range of wood species and custom finish options, the Ventilated Door Collection is ideal for closets, laundry rooms, mechanical spaces, and other areas where airflow is essential, without compromising style. Contact your Lynden Door representative for more information.



Ladder Ventilated Door in Rift White Oak



LOCKER
VENTILATED
DOOR



LADDER
VENTILATED
DOOR

LOCKER LADDER



Vertical Cross Section

AIRFLOW PATHWAY

Air flows in from one side, through the door core and out the opposing side.

Vent openings are offset from front to back to minimize light transfer.

- Available in 1-3/8" and 1-3/4" thickness.
- Offered in 1'6" up to 4'0" wide; and heights of 6'8", 7'0", and 8'0".
- Vent passageways are 100% wood-based.
- Locker horizontal-vented design available in hollow core and solid core.
- Ladder horizontal-vented design available in solid core.
- Vent configurations are adjustable to meet ADA requirements.
- 1-Year Limited Warranty.
- Available in select veneers and other flush door styles.



Locker Ventilated Door



Vertical Ventilated Door

VERTICAL
VENTILATED
DOOR

- Integrated vertical channel running through the door.
- Available in 1-3/8" and 1-3/4" thickness.
- Offered up to 4'0" in width; and 10'0" in height.
- Engineered with acoustical baffles and Helmholtz resonator construction, tuned to attenuate specific frequencies.
- Achieves up to 25 STC with perimeter seal.
- Accepts all types of hardware, closers, and sweeps.
- 1-Year Limited Warranty.
- Available with FineLine, wood veneers, Elemental™, prefinished hardboard, and primed flush door styles.

The Vertical ventilated door features vertical ventilation for a clean, architectural look that integrates seamlessly into modern and transitional interiors. The Locker introduces a bold, industrial-inspired horizontal vent pattern for a streamlined, contemporary feel. The Ladder offers a more refined, high-end take on horizontal ventilation, balancing openness and structure with a design that feels both modern and warm.



Horizontal Cross Section

AIRFLOW PATHWAY

Air flows in from one side, through the door core and out the opposing side.



Horizontal Cross Section

SOUND PRIVACY*

Lab-tested baffling and resonators are integrated into the door core to block high and low frequency sound.

* Available as an optional feature.

PREFINISHED **HARDBOARD**



Rift Cut Medium Walnut

Durable. Stable. Affordable.

Prefinished Hardboard doors by Lynden Door arrive ready to install with a factory applied, uniform finish that is durable and low maintenance.

- 1-3/8" and 1-3/4" hollow or solid core construction
- 1-3/4" 20 & 60-minute rated fire doors
- Door skins made from industrial grade MDF board
- Several finish options available with color coordinated pre-painted wood edges
- Available as a ventilated door
- Bifolds available




**RIFT CUT
SLATE**

Textured



**RIFT CUT
MEDIUM WALNUT**

Textured



**RIFT CUT
COFFEE**

Textured




**RIFT CUT
TEAK**

Textured

An affordable alternative to wood veneer flush doors, our Prefinished Hardboard doors offer a painted, grain printing process in a variety of colors. This technology is perfect for residential and commercial applications such as single-family homes, multi-family apartments, assisted care, and hospitality projects where a prefinished surface is desired at an affordable price.

Offered in a variety of surface finishes in a wide color spectrum from light to dark and traditional to contemporary.



CRYSTAL WHITE
Embossed



BEAUPORT WALNUT
Embossed



MENDOCINO OAK
Embossed



WESTERN HEMLOCK
Smooth



COASTAL HEMLOCK
Smooth



ALBANY MAPLE
Smooth



ALPINE OAK
Smooth



NEWPORT CHERRY
Smooth



POLAR WHITE
Smooth

Photographs are a close approximation of stain colors and may vary from actual products. Please contact Lynden Door for prefinished hardboard color samples.



Rift Cut Slate

PRIMED MOLDED & FLUSH

Uniquely Versatile.

Stable Performance. No cracking or panel separation. Superior Value.

Compelling design and customizing opportunity at a significant value versus solid wood doors. All Lynden Door molded and flush panels are factory primed, pre-graded and acclimated before fabrication to produce top quality, stable surfaces. Molded and flush door panels offer an ideal substrate for finish painting.



- Molded fiberboard facings resist joint separation
- Hollow or solid core
- Matching bifolds
- STC and fire-rated options
- 1-3/8" and 1-3/4" in 6'8", 7'0" & 8'0" (See sizing guide for more information.)
- ♦ Optional 2'10" x 6'8" and 3'0" x 6'8" sizes now available with ADA compliant bottom rail



Aberdeen



KINGSTON ♦
Smooth | Raised Panel



ROSARIO ♦
Smooth | Raised Panel



LOPEZ
Smooth | Raised Panel




BENTON
Smooth | Raised Panel



COLUMBIA
Smooth | Raised Panel



PRIMED FLUSH
Smooth & Textured options



Whitman

Molded doors have become a major influence in the residential and light commercial built environment.

Lynden Door's extensive collection of smooth and textured molded and flush door designs suits virtually every taste and decor. Offered in raised and flat panel profiles, molded panel doors are an attractive fit for traditional and contemporary spaces with flexible construction in hollow or solid core and rated/non-rated options.

Primed Flush doors are available smooth and textured, hollow or solid core and with rated/non-rated and ventilated door options.



BLAKELY
Textured | Raised Panel



BONNEVILLE
Textured | Raised Panel





STOCK SIZING GUIDE

MOLDED DOORS

			PASSAGE DOOR WIDTHS																
6'8" Height			1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	2'10" ADA	3'0"	3'0" ADA	3'2"
MERCER	FP	S	■	■	■	✓	✓	✓	■	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
WHITMAN	FP	S	■	■	■	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA	✓	NA	NA
ABERDEEN	FP	S	■	■	■	■	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA	✓	NA	NA
YARROW	FP	S	■	■	■	■	✓	✓	■	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
WINTHROP	FP	S	■	■	■	■	✓	✓	■	✓	✓	✓	✓	✓	✓	NA	✓	NA	NA
KINGSTON	RP	S	■	■	■	✓	✓	✓	■	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓*
ROSARIO	RP	S	■	■	■	✓	✓	✓	■	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA
LOPEZ	RP	S	■	■	■	■	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA	✓	NA	NA
BENTON	RP	S	■	■	■	■	✓	✓	■	✓	✓	✓	✓	✓	✓	NA	✓	NA	NA
COLUMBIA	RP	S	■	■	✓	✓	✓	✓	■	✓	✓	✓	✓	✓	✓	NA	✓	NA	NA
BLAKELY	RP	T	■	■	■	✓	✓	✓	■	✓	✓	✓	✓	✓	✓	NA	✓	NA	NA
BONNEVILLE	RP	T	■	■	✓	✓	✓	✓	■	✓	✓	✓	✓	✓	✓	NA	✓	NA	✓*
7'0" Height			1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	2'10" ADA	3'0"	3'0" ADA	3'2"
MERCER	FP	S	■	■	■	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA	✓	NA	NA
WHITMAN	FP	S	■	■	■	■	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA	✓	NA	NA
ABERDEEN	FP	S	■	■	■	■	✓	✓	✓	✓	✓	✓	✓	✓	✓	NA	✓	NA	NA
YARROW	FP	S	■	■	■	■	■	■	■	✓	✓	✓	✓	✓	✓	NA	✓	NA	NA
WINTHROP	FP	S	■	■	■	■	■	■	■	■	✓	✓	✓	✓	✓	NA	✓	NA	NA
KINGSTON	RP	S	■	■	■	■	■	✓	■	✓	■	✓	✓	✓	✓	NA	✓	NA	✓*
ROSARIO	RP	S	■	■	■	■	■	✓	■	✓	✓	✓	✓	✓	✓	NA	✓	NA	NA
LOPEZ	RP	S	■	■	■	■	■	■	■	■	■	■	■	■	■	NA	■	NA	NA
BENTON	RP	S	■	■	■	■	■	■	■	■	■	■	■	■	■	NA	■	NA	NA
COLUMBIA	RP	S	■	■	■	■	■	■	■	■	■	■	■	■	■	NA	✓	NA	NA
BLAKELY	RP	T	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BONNEVILLE	RP	T	NA	NA	NA	NA	■	■	■	■	■	■	■	■	■	NA	✓	NA	✓*
8'0" Height			1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	2'10" ADA	3'0"	3'0" ADA	3'2"
MERCER	FP	S	■	■	■	✓	✓	■	■	✓	✓	✓	✓	✓	✓	NA	✓	NA	NA
WHITMAN	FP	S	■	■	■	■	✓	■	■	✓	■	✓	✓	✓	✓	NA	✓	NA	NA
ABERDEEN	FP	S	■	■	■	■	✓	■	■	✓	■	✓	✓	✓	✓	NA	✓	NA	NA
YARROW	FP	S	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
WINTHROP	FP	S	■	■	■	■	✓	✓	■	✓	✓	✓	✓	✓	✓	NA	✓	NA	NA
KINGSTON	RP	S	■	■	■	■	✓	✓	■	✓	✓	✓	✓	✓	✓	NA	✓	NA	NA
ROSARIO	RP	S	NA	■	■	■	■	✓	■	✓	✓	✓	✓	✓	✓	NA	✓	NA	NA
LOPEZ	RP	S	■	■	■	■	✓	■	✓	■	✓	✓	✓	✓	✓	NA	✓	NA	NA
BENTON	RP	S	■	■	■	■	✓	✓	■	✓	✓	✓	✓	✓	✓	NA	✓	NA	NA
COLUMBIA	RP	S	■	■	■	■	■	■	■	✓	■	✓	✓	✓	■	NA	✓	NA	NA
BLAKELY	RP	T	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BONNEVILLE	RP	T	NA	NA	NA	NA	■	■	■	✓	■	✓	✓	✓	■	NA	✓	NA	NA

FP - Flat Panel
RP - Raised Panel

S - Smooth Surface
T - Textured Surface

✓ Available Stock Item

NA - Not Available

* The max NET width is 37.81"

■ Available - call Customer Service at 877.852.DOOR (3667) or email info@lyndendoor.com for more information

BIFOLD DOOR UNIT WIDTHS

			2-DOOR UNITS						4- DOOR UNITS			
6'8" Height			1'6"	2'0"	2'4"	2'6"	2'8"	3'0"	4'0"	5'0"	5'4"	6'0"
MERCER	FP	S	■	✓	✓	✓	✓	✓	✓	✓	✓	✓
WHITMAN	FP	S	■	✓	✓	✓	✓	✓	✓	✓	✓	✓
ABERDEEN	FP	S	■	✓	✓	✓	✓	✓	✓	✓	✓	✓
YARROW	FP	S	■	✓	✓	✓	✓	✓	✓	✓	✓	✓
WINTHROP	FP	S	■	✓	✓	✓	✓	✓	✓	✓	✓	✓
KINGSTON	RP	S	■	✓	✓	✓	✓	✓	✓	✓	✓	✓
ROSARIO	RP	S	■	✓	✓	✓	✓	✓	✓	✓	✓	✓
LOPEZ	RP	S	■	✓	✓	✓	✓	✓	✓	✓	✓	✓
BENTON	RP	S	■	✓	✓	✓	✓	✓	✓	✓	✓	✓
COLUMBIA	RP	S	■	✓	✓	✓	✓	✓	✓	✓	✓	✓
BLAKELY	RP	T	■	✓	✓	✓	✓	✓	✓	✓	✓	✓
BONNEVILLE	RP	T	■	✓	✓	✓	✓	✓	✓	✓	✓	✓
7'0" Height			1'6"	2'0"	2'4"	2'6"	2'8"	3'0"	4'0"	5'0"	5'4"	6'0"
MERCER	FP	S	■	■	■	■	■	■	■	■	■	■
WHITMAN	FP	S	NA	■	■	■	■	■	■	■	■	■
ABERDEEN	FP	S	■	■	■	■	■	■	■	■	■	■
YARROW	FP	S	■	■	■	■	■	■	■	■	■	■
WINTHROP	FP	S	■	■	■	■	■	■	■	■	■	■
KINGSTON	RP	S	■	✓	✓	✓	✓	✓	✓	✓	✓	✓
ROSARIO	RP	S	■	■	■	■	■	■	■	■	■	■
LOPEZ	RP	S	■	■	■	■	■	■	■	■	■	■
BENTON	RP	S	NA	■	■	■	■	■	■	■	■	■
COLUMBIA	RP	S	■	■	■	✓	■	✓	■	✓	■	✓
BLAKELY	RP	T	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BONNEVILLE	RP	T	■	■	■	■	■	✓	■	■	■	✓
8'0" Height			1'6"	2'0"	2'4"	2'6"	2'8"	3'0"	4'0"	5'0"	5'4"	6'0"
MERCER	FP	S	NA	■	■	■	■	■	■	■	■	■
WHITMAN	FP	S	NA	■	■	■	■	■	■	■	■	■
ABERDEEN	FP	S	■	■	■	■	■	■	■	■	■	■
YARROW	FP	S	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
WINTHROP	FP	S	■	■	■	■	■	■	■	■	■	■
KINGSTON	RP	S	■	■	■	■	■	■	■	■	■	■
ROSARIO	RP	S	NA	NA	■	■	■	■	NA	■	■	■
LOPEZ	RP	S	NA	■	■	■	■	■	■	■	■	■
BENTON	RP	S	NA	■	■	■	■	■	■	■	■	■
COLUMBIA	RP	S	■	✓	✓	✓	✓	✓	✓	✓	✓	✓
BLAKELY	RP	T	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BONNEVILLE	RP	T	■	✓	✓	✓	✓	✓	✓	✓	✓	✓

Door sizing is divided into two basic categories: Molded Panel and Flush doors.

Molded panel doors are available in a standard range of sizes, based on our ability to configure the molded panels – please consult the chart.

Flush doors STANDARD RANGE: 1'0" to 4'0" in width, up to 8'0" in height. Custom sizing is available, however, some restrictions may apply. Flush doors include: wood veneer; StileLine® sketchface veneer and the ReDiscovery Collection; prefinished hardboard; and high pressure decorative laminates (not shown in this brochure). Flush doors are not constrained by panel lay-out like molded panel doors, and are available in a great variety of sizes.

Sizing Notes: Lynden Door wholesale distributors add significant value and convenience by maintaining large inventories of standard size doors for competitive pricing and fast delivery. Custom sizing is a common service at Lynden Door and we thrive on accommodating your special needs at an affordable price. However some restrictions may apply.

Lynden Door fabricates **Standard** height doors with wider top and bottom rails: 2" – 2-1/4" after trim. This allows for site trimming of doors up to 1" on each end without compromising the warranty.

Door face stiles 4-1/8" or smaller **do not** accommodate a **2-3/4" back-set** preparation. Please contact your Lynden Door representative for non-stock stile width measurements.

Blended Offering: Lynden Door's unique product portfolio offers residential, architectural (LD), and commercial (CD) doors all made in one facility.

This blended offering allows us to meet the needs of even the most diverse specification as we can draw from the strengths of all three door series.

2077 MAIN ST., P.O. BOX 528
LYNDEN, WA 98264

PHONE: 800.631.DOOR (3667)
360.354.5676

FAX: 360.354.3738

INFO@LYNDENDOOR.COM



@LYNDENDOORINC | LYNDENDOOR.COM

Lynden Door
Open Your Future

